

European Union - Declaration of Conformity: EXO 8

We,

Blackline Safety Corp.
Suite 100, 803 24 Avenue SE
Calgary, Alberta, Canada

Declare under our sole responsibility that the product,

EXO 8

Manufactured by,

Blackline Safety Corp.
Suite 100, 803 24 Avenue SE
Calgary, Alberta, Canada

To which this declaration relates, is in conformity with the provisions of the European Community Directives, including the latest amendments, as shown in the attached schedule.

Assumption of conformity is based on the application of the harmonized standards and, when applicable or required, a European Community notified body certification, as shown in the attached schedule.


Signature

Chief Information Officer
Function

Brendon Cook
Name

2025-03-24
Date of Issue



European Union - Declaration of Conformity: EXO 8**Radio Equipment Directive (2014/53/EU)**

Essential Requirements	Harmonized Standards
Safety and Health (Article 3.1a)	EN IEC 62368-1:2018 including: (EU National Differences EN / IEC 2020 +A11:2020) EN IEC 62311:2008
EMC (Article 3.1b)	EN 301 489-1 V2.2.3 EN 301 489-17 V3.2.4 EN 301 489-19 V2.1.1 EN 301 489-52 V1.2.1 EN 55032:2012/AC:2013 EN 55035:2017+A11:2020
Radio Spectrum Efficiency (Article 3.2)	EN 300 328 V2.2.2 EN 303 413 V1.1.0 EN 301 511 V12.5.1 EN 301 908-1 V15.1.1 EN 301 908-2 V13.1.1 EN 301 908-13 V13.2.1

Restriction of Hazardous Substances

RoHS	Directive 2011/65/EU(RoHS2) and (EU) 2015/863 (RoHS3)
-------------	---

ATEX Directive (2014/34/EU)

Sira 20ATEX2004X

Ex ia IIC T3 Ga

Harmonized Standards: EN 60079-0:2018
EN 60079-11:2012
EN 60079-26:2015

ATEX Notified Body

CSA Group Netherlands B.V. (Notified Body 2813)
Utrechtseweg 310
Building B42
6812 AR, Arnhem
The Netherlands

European Union - Declaration of Conformity: EXO 8

Unit IDs starting with 35896 or 35899:

LTE Frequency Band	Maximum Transmit Power (dBm)
LTE eFDD 1	23 dBm
LTE eFDD 3	23 dBm
LTE eFDD 7	23 dBm
LTE eFDD 8	23 dBm
LTE eFDD 20	23 dBm
LTE eFDD 28	23 dBm
LTE eFDD 38	23 dBm
LTE eFDD 40	23 dBm
UMTS FDD I	24 dBm
UMTS FDD VIII	24 dBm
GSM 900	33 dBm
GSM 1800	30 dBm

Bluetooth Frequency Band	Maximum Transmit Power (dBm)
2400-2483.5 MHz	11 dBm

Iridium Satellite Frequency Band	Maximum Transmit Power (dBm)
1616 – 1626.5 MHz	32 dBm