

European Union - Declaration of Conformity: G7c

We,

Blackline Safety Corp.
Suite 100, 803 24 Avenue SE
Calgary, Alberta, Canada

Declare under our sole responsibility that the security safety system product,

G7c-EU2

Manufactured by,

Blackline Safety Corp.
Suite 100, 803 24 Avenue SE
Calgary, Alberta, Canada

To which this declaration relates, is in conformity with the provisions of the European Community Directives, including the latest amendments, as shown in the attached schedule.

Assumption of conformity is based on the application of the harmonized standards and, when applicable or required, a European Community notified body certification, as shown in the attached schedule.



Signature

Chief Information Officer
Function

Brendon Cook
Name

2025-03-24
Date of Issue



European Union - Declaration of Conformity: G7c**Radio Equipment Directive (2014/53/EU)**

Essential Requirements	Harmonized Standards
Safety and Health (Article 3.1a)	EN 62311:2008 EN IEC 62368-1:2020 including: (EU National Differences EN / IEC 2020 +A11:2020)
EMC (Article 3.1b)	EN 300 440-1 V1.5.1:2009 EN 301 489-1: V2.1.1 EN 301 489-17 V3.1.1 EN 301 489-19 V2.1.1 EN 301 489-52 V1.2.1 EN 55032:2015 + A11:2020
Radio Spectrum Efficiency (Article 3.2)	EN 300 328 V2.1.1 EN 301 511 V12.5.1 EN 301 908-1 V15.1.1 EN 301 908-2 V13.1.1 EN 301 908-13 V13.2.1

Restriction of Hazardous Substances

RoHS	Directive 2011/65/EU(RoHS2) and (EU) 2015/863 (RoHS3)
-------------	---

ATEX Directive (2014/34/EU)

Sira 17ATEX2083X

Ex da ia IIC T4 Ga

Harmonized Standards: EN 60079-0:2018
EN 60079-1:2014 (in respect of only Clause 4.2 for 'da')
EN 60079-11:2012

ATEX Notified Body

CSA Group Netherlands B.V. (notified Body 2813)
Utrechtseweg 310,
Building B42
6812 AR, Arnhem
The Netherlands

European Union - Declaration of Conformity: G7c

Unit IDs starting with 35712 or 35713:

LTE Frequency Band	Maximum Transmit Power (dBm)
LTE eFDD 1	23 dBm
LTE eFDD 3	23 dBm
LTE eFDD 7	23 dBm
LTE eFDD 8	23 dBm
LTE eFDD 20	23 dBm
LTE eFDD 28	23 dBm
LTE eFDD 38	23 dBm
LTE eFDD 40	23 dBm
UMTS FDD I	24 dBm
UMTS FDD VIII	24 dBm
GSM 900	33 dBm
GSM 1800	30 dBm